



ECO TAPE RANGE

Environmentally Friendly Tape Solutions

SUSTAINABLE & ECO-FRIENDLY TAPE SOLUTIONS

At Tapespec, we are committed to developing and providing a range of sustainable & eco-friendly tapes for everyone to have better environmental choices. We offer products made from sustainable materials that are also recyclable to have minimal impact to the environment.



We only have one planet, make a difference, every little bit counts.

HELP MAKE OUR PLANET A BETTER PLACE FOR THE FUTURE



Natural Materials



Sustainable Materials

































Degradable




Recyclable

PACKAGING RANGE

 ^Available to be slit to required width sizes from a log roll.

PRODUCT & CODE	<div></div> <div>CELLULOSE TAPE</div> <div>0404 ^</div>	<div></div> <div>KRAFT PAPER TAPE</div> <div>0327ECO ^</div>	<div></div> <div>FLATBACK PAPER TAPE</div> <div>FPP4 ^</div>	<div></div> <div>ECODISC</div> <div>1016-2 / 1017-2</div>
FEATURES	<div></div> <ul style="list-style-type: none">The film is made from natural plants derived from Eucalyptus Wood Pulp with good degradability.Extra high initial tack & long life bonding characteristics, static & tangle free.Strong bond to most cardboard grades (suitable on 100% recycled board grades).Good temperature performance & compatible to most freezer environments (- 10°C to + 60°C & - 40°C in freezer conditions).Easily hand tearable for ease of use.	<div></div> <ul style="list-style-type: none">Made from natural wood fibre & Rubber adhesive for good degradability.Extra high initial tack & suitable for most recycled board grades.Excellent long life bonding characteristics to most Carton & corrugated board grades.Good temperature performance & compatible to most freezer environments (- 10°C to + 60°C & - 40°C in freezer conditions).Special thin PE coating on the Kraft Paper for excellent moisture resistance.Easy unwinding off the roll & hand tearable for ease of use.	<div></div> <ul style="list-style-type: none">The Kraft Paper backing is made from natural wood fibres derived from managed forests.Flatback – adheres to its own backing, excellent for carton closure & picture framing.The rubber adhesive offers excellent initial high tack along with long life bonding characteristics.High tensile strength with good moisture resistance.Consistent unwinding off the roll & hand tearable for ease of use.Good temperature performance (- 10°C to + 60°C & - 20°C in freezer conditions).	<div></div> <ul style="list-style-type: none">100% recyclable ECO-friendly disc with high quality finish & clean professional discreet appearance.Made from a translucent, non-chemical & ECF chlorine free paper with good degradability characteristics.Good transparency & excellent bonding characteristics to most surfaces.Quick, clean and effective security sealing system.Easy tear without any perforating.
APPLICATIONS	<ul style="list-style-type: none">Suitable for Light to Medium duty carton closure & sealing applications.Excellent for multi-purpose parcel sealing, securing plastic bags & bubble wrap, a clear fixing & mending tape.Ideal for airtight sealing of metal lids & glass containers.Great environmental benefits to various manufacturers & exporters.	<ul style="list-style-type: none">Suitable for Light to Medium duty carton closure & sealing applications.Can be used on most plastic packaging to secure, seal and hold.Very good temperature & moisture resistance especially for freezer applications.Great environmental benefits to various manufacturers & exporters.	<ul style="list-style-type: none">Excellent for strong & secure carton closure,especially onto difficult recycled & laminated board grades.Long life performance when used for picture framing & in freezer / cool store storage applications.Used as a high bond paper tape for tabbing & splicing onto various paper grades.	<ul style="list-style-type: none">Quick, clean, effective security sealing system for various packaging, envelopes, cards & promotional material.Great for safely securing & sealing products to ensure their integrity remains in tack & there is no contamination.Excellent for gift wrapping, cosmetics, pharmaceuticals, merchandising & food packagings.
BK.	NATURAL CELLULOSE FILM <i>derived from Eucalyptus Wood Pulp</i>			
ADH.	High Tack NATURAL RUBBER			
SIZES	WIDTH ^	18 mm	12 / 18 / 24 mm	48 mm
	LENGTH	33 m	66 m	100 / 500 m
SIZES	WIDTH ^	24 / 36 / 48 / 72 / 96 mm		
	LENGTH	50 m		
SIZES	WIDTH ^	24 / 36 / 48 / 72 / 96 mm		
	LENGTH	50 m		
SIZES	DIAMETER	25 / 50 mm		
	DISCS / ROLL	2000 discs		
CERT.	<div></div> <ul style="list-style-type: none">Manufactured to ISO standards.PEFC (Forest Stewardship Council) - made from sustainable & renewable managed forests.ROHS - made from non hazardous materials.RECYCLING - We recommend consultation with your local council or recycling plant to discuss this suitability or their recommended course of action.	<div></div> <ul style="list-style-type: none">Manufactured to ISO standards.PEFC (Forest Stewardship Council) - made from sustainable & renewable managed forests.ROHS - made from non hazardous materials.Manufactured to ISO standards.RECYCLING - We recommend consultation with your local council or recycling plant to discuss this suitability or their recommended course of action.	<div></div> <ul style="list-style-type: none">Manufactured to ISO standards.REACH - complies with EC No 1907/2006.ROHS - complies with 2002/95/EU, 2011/65/EU, 2015/863/EU Directives.Meets California Prop 65 & Toxics in Packaging requirements (means this product meets the necessary non toxic requirements in the State of California).Manufactures letter verifying Kraft Paper is derived from a managed & sustainable forest.RECYCLING - We recommend consultation with your local council or recycling plant to discuss this suitability or their recommended course of action.	<div></div> <ul style="list-style-type: none">Manufactured to ISO standards.PEFC (Forest Stewardship Council) - made from sustainable & renewable managed forests.ISEGA - acrylic adhesive is food grade approved (No 1935/2004).ECF & TCF - made from non-chemical & chlorine free pulp.100% RECYCLABLE

BK. - Backing
ADH. - Adhesive
CERT. - Certified by

 *Surface testing always recommended before applying. See surface application & preparation details at: www.tapespec.co.nz



*All tape cores can be recycled in most recognised recycling plants.

ECO TAPE ORDER FORM:

STEP 1

Enter your contact details

DATE: _____ of ☐ ORDER ☐ ENQUIRY

Customer Name: _____ Company Name: _____
 Email: _____ Phone No: _____
 Deliver to: _____

STEP 2

Please enter the carton **QTY** you require in the ☐

Purchase Order No: _____



0404 ^
CELLULOSE TAPE

BY CARTON

Length: **33m**

Qty	Width	Carton
<input type="text"/>	18mm	96

Length: **66m**

Qty	Width	Carton
<input type="text"/>	12mm	72
<input type="text"/>	18mm	48
<input type="text"/>	24mm	36

Length: **100m**

Qty	Width	Carton
<input type="text"/>	48mm	36

Length: **500m**

Qty	Width	Carton
<input type="text"/>	48mm	36



0327 ^
KRAFT PAPER TAPE

BY CARTON

Length: **50m**

Qty	Width	Carton
<input type="text"/>	24mm	36
<input type="text"/>	36mm	24
<input type="text"/>	48mm	24
<input type="text"/>	72mm	12
<input type="text"/>	96mm	12



FPP4 ^
FLATBACK PAPER TAPE

BY CARTON

Length: **50m**

Qty	Width	Carton
<input type="text"/>	24mm	36
<input type="text"/>	36mm	24
<input type="text"/>	48mm	24
<input type="text"/>	72mm	12
<input type="text"/>	96mm	12



1016-2 / 1017-2
ECODISCS

BY CARTON

Discs / Roll: **2000**

Qty	Diameter	Carton
<input type="text"/>	25mm	5
<input type="text"/>	50mm	5



^Available to be slit to required width sizes from a log roll.